





Frame profile 22.5x45



- For inexpensive construction of trays and material shelves
- Surface elements are mounted under tension so that they do not rattle

- Corner bracket for frame profile 22.5x45
- For the right-angled connection of two 22.5x45 frame profiles
- Profile finishing: not required

Product description




Introduction to strut profiles

Dimensions


Frame profile 22.5x45

$A = 3,4 \text{ cm}^2$
 $I_x = 6,7 \text{ cm}^4$
 $I_y = 1,7 \text{ cm}^4$
 $W_x = 2,8 \text{ cm}^3$
 $W_y = 1,3 \text{ cm}^3$
 $m = 0,9 \text{ kg/m}$




00133329

Corner bracket for frame profile 22.5x45



00109492

Accessories



Grooved plate 30x100

- Modular plate profiles with multiple slots for experimental constructions of any dimensions
- Slot spacing 25 mm
- Slot size 8.9 mm
- 8 mm slot connectors can be used



Lettering clips

- For the labeling of profiles and tubular cross ties
- Lettering clip for strut profiles with 8 mm and 10 mm slot



Angle piece R

- For connecting profiles at any angle
- No protruding edges due to rounding of bracket
- Brackets with centering lugs for rapid, precise assembly with protection against turning
- Centering lugs can be easily broken off for assembly on plates or at right angles to the slot
- Version *designLINE* with special silver paint (RAL 9006) for an especially high-quality design

Delivery notes

FS1



Ordering codes

	Groove	L (mm)			ESD	No.
Frame profile 22.5x45 L50-5600	10	50 ... 6070	1			3842992411
Frame profile 22.5x45 L6070	10	6070	20			3842557941
Corner bracket for frame profile 22.5x45				20		3842535637
Frame profile 22.5x45 L6070	10	6070		1		3842558303