


Strut profile 100x200L



Product description


[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 100x200L



Ordering codes

The following cover caps are needed:
 100x100 signal gray (2 items)
 100x100 black (2 item)

	L			ESD	No.
	mm				
Strut profile 100x200L	50 ... 6070		1		3842993178
Strut profile 100x200L M12/-	60 ... 6000		1		3842993179
Strut profile 100x200L M12/M12	110 ... 6000		1		3842993180

	L			ESD	No.
	mm				
Strut profile 100x200L M12/D17	90 ... 6000		1		3842993181
Strut profile 100x200L D17/-	60 ... 6000		1		3842993182
Strut profile 100x200L D17/D17	80 ... 6000		1		3842993183
Strut profile 100x200L D17V/D17V	90 ... 6000		1		3842993227
Strut profile 100x200L 3x=L6070mm	6070	3			3842529357
Strut profile 100x200L Q&E	50 ... 6070		1		3842993687
Cover cap 100x100, signal gray			20		3842548824
Cover cap 100x100, black			20		3842548825

Quick & Easy profile finishes

Standard profile finishes (note minimum length) ¹⁾	D9,8 (C,D,E,F,I,J,K,L) ¹⁾ / D17 (C,D,E,F,I,J,K,L) ¹⁾ / DB17 / F1 (A,G)
Customized profile finishes ($L_{\max} = 5400$ mm) ²⁾	DI / DIS / MT / MTS / MI / MIS / DG

1) For the specified slots

2) $DG_{\max} = 30^\circ$; $L_{\min} = 416 / 532$ mm