


Standard Material Shuttle Logistics Basic




- For heavy-duty use in transport and material supply
- Adjustable material shelf height, offset, and tilt to ensure ergonomic grabbing

[PDF](#) Assembly instructions

- Available as ESD-conductive version
- Material shelves BasicPlate: PP, SB (ESD)
- LR: Ball bearing, with locking mechanism locking device


Technical data

Material shuttle Logistics Basic




Dimensions

Material shuttle Logistics Basic 1 shelf



Material shuttle Logistics Basic 3 shelves



Accessories



Material shelves, configurable


 Assembly instructions

- Material shelf for ergonomic accessibility of containers (kanban), materials, measuring instruments and other aids at Rexroth workstations
- For implementing the 2-bin system



Material Shelves

- Material shelf for ergonomic accessibility of containers (kanban), materials, measuring instruments and other aids at Rexroth workstations
- For implementing the 2-bin system



Lettering clips

- For labeling material shelves
- Suitable for labeling all profiles with 8 mm or 10 mm slot

Ordering codes

	H (mm)	B _E (mm)	T _E (mm)	ESD	No.
Material shuttle Logistics Basic 1 shelf	1000	610	410		3842515483
Material shuttle Logistics Basic 1 shelf ESD	1000	610	410		3842515484
Material shuttle Logistics Basic 3 shelves	1400	610	410		3842508181
Material shuttle Logistics Basic 3 shelves ESD	1400	610	410		3842508182