


LIFTOFF hinge




- Compact, removable hinge for doors which open to the right or left
- Version *designLINE* with special silver paint (RAL 9006) for an especially high-quality design
- Centering lugs as an assembly aid and anti-torsion element

Product description




Technical data

Groove	
	N
6; 8; 10	300

No.	Material
3842543334	
3842543333	Hinge: diecast aluminum, painted Fastening material: Steel; zinc-plated Grooved pin: steel; galvanized Washer: PA
3842543332	

No.	Material
3842543331	Hinge: diecast aluminum, painted Fastening material: Steel; zinc-plated Grooved pin: steel; galvanized Washer: PA
3842543330	
3842543329	
3842543328	
3842543327	
3842543326	
3842543325	
3842543324	
3842543323	
3842543322	
3842543321	

Delivery notes

FS1	FS2	FS3	FS4
 DIN 7991 M4x8 	 DIN 7991 M6x12 	 DIN 7991 M6x16 	 DIN 125 A6,4

Fastening material

3842543334	2x	 DIN 7991 M4x8 	1x	 DIN 125 A6,4		
3842543333	1x	 DIN 7991 M4x8 	1x	 DIN 7991 M6x12 	1x	 DIN 125 A6,4
3842543332	2x	 DIN 7991 M4x8 	1x	 DIN 125 A6,4		
3842543331	1x	 DIN 7991 M4x8 	1x	 DIN 7991 M6x16 	1x	 DIN 125 A6,4
3842543330	1x	 DIN 7991 M6x12 	1x	 DIN 7991 M6x16 	1x	 DIN 125 A6,4
3842543329	2x	 DIN 7991 M6x16 	1x	 DIN 125 A6,4		
3842543328	2x	 DIN 7991 M6x16 	1x	 DIN 125 A6,4		
3842543327	2x	 DIN 7991 M4x8 	1x	 DIN 125 A6,4		
3842543326	1x	 DIN 7991 M4x8 	1x	 DIN 7991 M6x12 	1x	 DIN 125 A6,4

3842543325	2x		1x			
3842543324	1x		1x		1x	
3842543323	1x		1x		1x	
3842543322	2x		1x			
3842543321	2x		1x			

Scope of delivery

Hinge, LIFTOFF right P1=20 P2=20	incl. fastening material (FS)
Hinge, LIFTOFF right P1=20 P2=30	
Hinge, LIFTOFF right P1=30 P2=30	
Hinge, LIFTOFF right P1=30 P2=40	
Hinge, LIFTOFF right P1=30 P2=45	
Hinge, LIFTOFF right P1=40 P2=40	
Hinge, LIFTOFF right P1=45 P2=45	
Hinge, LIFTOFF left P1=20 P2=20	
Hinge, LIFTOFF left P1=20 P2=30	
Hinge, LIFTOFF left P1=30 P2=30	
Hinge, LIFTOFF left P1=30 P2=40	
Hinge, LIFTOFF left P1=30 P2=45	
Hinge, LIFTOFF left P1=40 P2=40	
Hinge, LIFTOFF left P1=45 P2=45	

Ordering codes

	Groove	P1	P2		ESD	FS	No.
Hinge, LIFTOFF right P1=20 P2=20	6; 8; 10	20	20	2		2xFS1, FS4	3842543334
Hinge, LIFTOFF right P1=20 P2=30	6; 8; 10	20	30	2		FS1, FS2, FS4	3842543333
Hinge, LIFTOFF right P1=30 P2=30	6; 8; 10	30	30	2		2xFS2, FS4	3842543332
Hinge, LIFTOFF right P1=30 P2=40	6; 8; 10	30	40	2		FS2, FS3, FS4	3842543331
Hinge, LIFTOFF right P1=30 P2=45	6; 8; 10	30	45	2		FS2, FS3, FS4	3842543330
Hinge, LIFTOFF right P1=40 P2=40	6; 8; 10	40	40	2		2xFS3, FS4	3842543329
Hinge, LIFTOFF right P1=45 P2=45	6; 8; 10	45	45	2		2xFS3, FS4	3842543328
Hinge, LIFTOFF left P1=20 P2=20	6; 8; 10	20	20	2		2xFS1, FS4	3842543327
Hinge, LIFTOFF left P1=20 P2=30	6; 8; 10	20	30	2		FS1, FS2, FS4	3842543326
Hinge, LIFTOFF left P1=30 P2=30	6; 8; 10	30	30	2		2xFS2, FS4	3842543325
Hinge, LIFTOFF left P1=30 P2=40	6; 8; 10	30	40	2		FS2, FS3, FS4	3842543324
Hinge, LIFTOFF left P1=30 P2=45	6; 8; 10	30	45	2		FS2, FS3, FS4	3842543323
Hinge, LIFTOFF left P1=40 P2=40	6; 8; 10	40	40	2		2xFS3, FS4	3842543322
Hinge, LIFTOFF left P1=45 P2=45	6; 8; 10	45	45	2		2xFS3, FS4	3842543321