


Strut profile 30x120



Product description

[Quick & Easy profile finishes](#)


[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 30x120



Ordering codes

The following caps with holes are needed:

30x30 signal gray (4 item)

30x30 black (4 item)

The following cover caps are needed:

30x30 signal gray (4 item)

30x60 signal gray (2 item)

30x30 black (4 item)

30x60 black (2 item)

	L			ESD	No.
	mm				
Strut profile 30x120, 20xL=6070mm	6070	20			3842541939
Strut profile 30x120 Q&E	50 ... 6070		1		3842993763
Cover cap 30x30, signal gray			100		3842548744
Cover cap 30x60, signal gray			20		3842548780
Cover cap 30x30, black			20		3842548745
Cover cap 30x60, black			20		3842548781
Cover cap with hole 30x30, signal gray			20		3842548774

	L			ESD	No.
	mm				
Cover cap with hole 30x30, black			20		3842548775

Quick&Easy profile finishes

Standard profile finishes (note minimum length) ¹⁾	M8 / D7,8 (B,C,D,E,G,H,I,J) ¹⁾ / D11 (B,C,D,E,G,H,I,J) ¹⁾ / DB11
Customized profile finishes (L _{max} = 5400 mm) ²⁾	DI / DIS / MT / MTS / MI / MIS / DG

- 1) For the specified slots
- 2) DG_{max} = 45°; L_{min1} / L_{min2} = 150 / 150 mm