





- Suitable for belt, toothed belt and flat top chain
- Suitable for use in an EPA


Product description



Technical data







Width of workpiece pallet	Length of workpiece pallet	width	Length											
b_{WT}	l_{WT}	ab	al	a	b	c	d	e	f	g	h	i	j	
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
160	160	154.8	154.8	1.1	23.1	55	47	24.75	56.5	72.5	88.5		108.9 mm	
160	240	154.8	234.8	1.1	23.1	55	37	24.75	56.5	72.5	88.5		108.9 mm	
160	320	154.8	314.8	1.1	23.1	55	51	24.75	56.5	72.5	88.5		108.9 mm	
240	160	234.8	154.8	1.1	23.1	78	47	47.3	90	106	122	179	188.9 mm	
240	240	234.8	234.8	1.1	23.1	78	51	47.3	90	106	122	155.5	188.9 mm	
240	320	234.8	314.8	1.1	23.1	78	51	47.3	90	106	122		188.9 mm	
240	400	234.8	394.8	9.31	29.01	78	43.45	39.75	82.45	98.45	114.45		167.89 mm	
320	240	314.8	234.8	1.1	23.1	78		87.3	130	146	162	195.5	268.9 mm	

Width of workpiece pallet	Length of workpiece pallet	width	Length										
b _{WT}	l _{WT}	ab	al	a	b	c	d	e	f	g	h	i	j
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
320	320	314.8	314.8	9.31	29.01	78		79.75	122.45	138.45	154.45		247.89 mm
320	400	314.8	394.8	9.3	29.01	78		79.75	122.45	138.45	154.45		247.89 mm
320	480	314.8	474.8	9.31	29.01	78		79.75	122.45	138.45	154.45		247.89 mm
400	320	394.8	314.8	9.3	29.01	178		69.75	112.45	128.45	144.45		327.89 mm
400	400	394.8	394.8	9.3	29.01	178		69.75	112.45	128.45	144.45		327.89 mm
400	480	394.8	474.8	9.3	29.01	178		69.75	112.45	128.45	144.45		327.89 mm
400	640	394.8	634.8	9.3	29.01	178		69.73	112.45	128.45	144.45		327.89 mm

k	l	m	n	p	q	r	s	t	u	v	w	x	y
130.9 mm	132 mm	1.1 mm	23.1 mm	33 mm	58.5 mm	66 mm	73.5 mm	85 mm	99 mm	108.9 mm	130.9 mm	132 mm	
130.9 mm	132 mm	1.1 mm	23.1 mm	70 mm	98.5 mm	106 mm	113.5 mm			188.9 mm	210.9 mm	212 mm	
130.9 mm	132 mm	1.1 mm	23.1 mm	59 mm	138.5 mm	146 mm	153.5 mm			268.9 mm	290.9 mm	292 mm	
210.9 mm	212 mm	1.1 mm	23.1 mm	33 mm	58.5 mm	66 mm	73.5 mm	85 mm	99 mm	108.9 mm	130.9 mm	132 mm	33 mm
210.9 mm	212 mm	1.1 mm	23.1 mm	84.5 mm	98.5 mm	106 mm	113.5 mm	137 mm	151 mm	188.9 mm	210.9 mm	212 mm	61 mm
210.9 mm	212 mm	1.1 mm	23.1 mm	124.5 mm	138.5 mm	146 mm	153.5 mm			268.9 mm	290.9 mm	292 mm	
187.59 mm	196.9 mm	9.31 mm	29.01 mm	156.95 mm	170.95 mm	178.45 mm	185.95 mm			327.89 mm	347.59 mm	356.9 mm	
290.9 mm	292 mm	1.1 mm	23.1 mm		98.5 mm	106 mm	113.5 mm	137.18 mm	151.18 mm	188.9 mm	210.9 mm	212 mm	61.02 mm
267.59 mm	276.9 mm	9.31 mm	29.01 mm		130.95 mm	138.45 mm	145.95 mm			247.89 mm	267.59 mm	276.9 mm	
267.59 mm	276.9 mm	9.31 mm	29.01 mm		170.95 mm	178.45 mm	185.95 mm			327.89 mm	347.59 mm	356.9 mm	
267.59 mm	276.9 mm	9.31 mm	29.01 mm		210.95 mm	218.45 mm	225.95 mm			407.89 mm	427.59 mm	436.9 mm	

k	l	m	n	p	q	r	s	t	u	v	w	x	y
347.59 mm	356.9 mm	9.31 mm	29.01 mm		130.95 mm	138.45 mm	145.95 mm			247.89 mm	267.59 mm	276.9 mm	
347.59 mm	356.9 mm	9.31 mm	29.01 mm		170.95 mm	178.45 mm	185.95 mm			327.89 mm	347.59 mm	356.9 mm	
347.59 mm	356.9 mm	9.31 mm	29.01 mm		210.95 mm	218.45 mm	225.95 mm			407.89 mm	427.59 mm	436.9 mm	
347.59 mm	356.9 mm	9.31 mm	29.01 mm		290.95 mm	298.45 mm	305.95 mm			567.89 mm	587.59 mm	596.9 mm	


z	aa ø	bb ø	cc ø	dd ø	ee ø	ff ø	gg ø	hh ø	ii ø	jj ø	ll ø	mm ø	nn ø
	48.5 mm		83.5 mm	99 mm	33 mm	29.25 mm	55 mm	90 mm	85 mm	99 mm			
	88.5 mm		123.5 mm	142 mm		29.25 mm	55 mm	90 mm	95 mm	81 mm			
	103 mm		138 mm			29.25 mm	55 mm	90 mm	81 mm	95 mm	154 mm	189 mm	
47 mm	48.5 mm	66 mm	83.5 mm	99 mm	33 mm	51.8 mm	88.5 mm	123.5 mm	165 mm	179 mm			
75 mm	63 mm		98 mm		51.8 mm	56.5 mm	88.5 mm	123.5 mm			114 mm	149 mm	
	77.5 mm	146 mm	214.5 mm			51.8 mm	88.5 mm	123.2 mm					
	109.95 mm	178.45 mm	246.95 mm			44.25 mm	80.95 mm	115.95 mm					
75.02 mm	63 mm		149 mm		96.5 mm	91.8 mm	128.5 mm	163.5 mm					
	69.95 mm	138.45 mm	206.95 mm			84.25 mm	120.95 mm	155.95 mm					
	84.45 mm		170.45 mm			84.25 mm	120.95 mm	155.95 mm			186.45 mm	272.45 mm	
	124.45 mm		210.45 mm			84.25 mm	120.95 mm	155.95 mm			226.45 mm	312.45 mm	
													212.45 mm
													212.45 mm
													212.45 mm

z	aa ø	bb ø	cc ø	dd ø	ee ø	ff ø	gg ø	hh ø	ii ø	jj ø	ll ø	mm ø	nn ø
													212.45 mm


pp ø	qq ø	rr ø	ss ø	tt ø	uu ø	vv ø	ww ø	xx ø	yy ø	kk ø	kk ø	thk
										ø6	M5	
				104.75 mm	33 mm	51 mm	86 mm	8 mm	M5	4x	4x	
								8 mm	M5	2x	2x	
								8 mm	M5	2x	2x	
								8 mm	M5	4x	4x	
								8 mm	M5	3x	3x	
								8 mm	M5	1x	1x	
								10 mm	M6	1x	1x	
								8 mm	M5	2x	2x	
								10 mm	M6			
								10 mm	M6			
								10 mm	M6			
228.45 mm	244.45 mm	210.95 mm	245.95 mm									8 mm
228.45 mm	244.45 mm	210.95 mm	245.95 mm									8 mm
228.45 mm	244.45 mm	210.95 mm	245.95 mm									8 mm
228.45 mm	244.45 mm	210.95 mm	245.95 mm									12.7 mm

No.	Workpiece Pallet	VE 5/D- 1000				Max. speed						
	$b_{WT} \times l_{WT}$											
		kg	kg	m/s ²	m/s ²	m/s	N	N	N	mm	N	N
3842562346	160 x 160	1.64	10	23.2	3.3	4	38	21	12	51	0	500
3842562347	160 x 240	1.93	10	19.7	3.2	4	38	21	12	51	0	500
3842562348	160 x 320	2.58	10	29.8	6.1	4	77	41	23	102	0	500
3842562349	240 x 160	2.1	10	24.3	4.2	4	51	26	15	51	0	500
3842562350	240 x 240	3.01	20	33.9	4.4	4	102	52	31	102	0	500
3842562351	240 x 320	3.89	20	39.3	6.4	4	153	77	46	153	0	500
3842562352	240 x 400	4.98	20	30.7	6.1	4	153	77	46	153	0	500
3842562353	400 x 400	3.44	20	26.5	3.9	4	91	40	28	102	0	500
3842562354	320 x 320	5.14	20	26.5	5.4	4	136	60	42	153	0	500
3842562355	320 x 400	6.17	30	29.3	5	4	181	81	56	204	0	500
3842562356	320 x 480	6.53	30	27.7	5	4	181	81	56	204	0	500
3842562357	400 x 320	6.17	30	24.8	4.2	4	153	106	49	102	0	500
3842562358	400 x 400	7.87	35	29.2	5.4	4	230	126	73	153	0	500
3842562359	400 x 480	8.6	35	26.7	5.3	4	230	126	73	153	0	500
3842562360	400 x 640	13.03	35	20.9	5.7	4	272	139	83	153	0	500

Fields of application







38444



38445

Dimensions










b_{WT}	l_{WT}	a	b	c	d	e	f	g
mm	mm	mm	mm	mm	mm	mm		
160	160	88	88	55	51	82.75	22 mm	21 mm
	240		168		102			
	320		248					
240	160	168	88	78	51	105.2		
	240		168		102			

b _{WT}	l _{WT}	a	b	c	d	e	f	g
mm	mm	mm	mm	mm	mm	mm		
240	320	168	248	78	153	105.2	22 mm	
	400		328					
320	240	248	168		102			
	320		248		153			
	400		328		204			
	480		408					
400	320	328	248		178			
	400		328	153				
	480		408					
	640		568					

Information







Delivery notes

Scope of delivery

- Carrying Plates
- Frame modules
- Connection elements
- Positioning bushings

Ordering codes

			No.
	1	2	3842562346
	1	2	3842562347
	1	2	3842562348
	1	2	3842562349
	1	2	3842562350
	1	2	3842562351
	1	3	3842562352
	1	2	3842562353
	1	3	3842562354
	1	3	3842562355
	1	3	3842562356
	2	3	3842562357
	2	3	3842562358
	2	3	3842562359
	2	3	3842562360