


Strut profile 40x40 HR



Product description


[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 40x40 HR



Ordering codes

Following cover caps with hole¹⁾ are needed:

- 40x40 HR signal gray (1 item)
- 40x40 HR black (1 item)

¹⁾ The cover cap is also suitable for use with a hole, which can be broken out

The following cover caps are needed:

- 40x40 HR signal gray (1 item)
- 40x40 HR black (1 item)

	L			ESD	No.
	mm				
Strut profile 40x40 HR	50 ... 6070		1		3842993256
Strut profile 40x40 HR M12/M12	110 ... 6000		1		3842993257
Strut profile 40x40 HR, 20xL=6070mm	6070	20			3842529381
Strut profile 40x40 HR Q&E	50 ... 6070		1		3842993723
Cover cap 40x40 HR, signal gray			20		3842548786
Cover cap 40x40 HR, black			20		3842548787
	6070		1		3842564216

Quick&Easy profile finishes

Standard profile finishes (note minimum length)		M12 / DB17
Customized profile finishes ($L_{max} = 5400\text{ mm}$) ¹⁾		DI / DIS / MT / MTS / MI / MIS / DG

1) $DG_{max} = 45^\circ$; $L_{min1} / L_{min2} = 370 / 440\text{ mm}$