



Material shelves, configurable




- Material shelf for ergonomic accessibility of containers (kanban), materials, measuring instruments and other aids at Rexroth workstations
- For implementing the 2-bin system

 [Assembly instructions](#)


- Can be attached at any desired incline, height or offset
- Material shelf Economic with frame profile 22.5x30
- Material shelf Basic with frame profile 22.5x45 with docking aids for easy loading and removal of materials
- Plates
 - PP: light gray
 - SB: ESD-conductive; black; recommended accessory: ESD mat insert
 - aluminum: for heavy loads (material shelf Basic)
- Attachment fixed with brackets (included) or swiveling with swivel fastening
- Customized assembly possible from individual components

Product description

Material Shelf Basic




Material Shelf Economic



Technical data

Material Shelf Basic



00127243


- 1) S_{LA} Gravity vector
AS Permissible position for the line of action of gravity vector SLA

Dimensions


$B_E = B-45-80 \rightarrow (P=40L)$

$B_E = B-45-90 \rightarrow (P=45L)$

$B_E = B-45-120 \rightarrow (P=60L)$



Material shelf Basic, plate PP, SB, aluminum



Ordering parameter with configurable material number


		3842998183	3842998184	3842998155
A	Design	Disassembled, assembled	Disassembled, assembled	Disassembled, assembled
B_E	Material shelf width	200 ... 1000 mm	200 ... 1000 mm	200 ... 1480 mm
T_E	Material shelf depth	310 ... 1000 mm	310 ... 1000 mm	310 ... 1220 mm

Accessories




Swivel fastening, 180°

- Swivel fastening for shelves, etc. which need to be positioned at an angle of $\pm 90^\circ$.
-



ESD mat insert

- ESD mat insert for protecting ESD-sensitive components
 - To create a safe, conductive connection, e.g. to ESD material shelves, we recommend using adhesive copper tape
-



Lettering clips

- For labeling material shelves
 - Suitable for labeling all profiles with 8 mm or 10 mm slot
-

Delivery notes

Scope of delivery

Includes brackets for fastening on the 10 mm slot

Ordering codes

	ESD	No.
Material shelf Basic, PP B200...1480		3842998183
Material shelf Basic, SB B200...1000		3842998184
Material shelf Basic, aluminum		3842998155