


Strut profile 50x50L



Product description

[Quick & Easy profile finishes](#)

[Introduction to strut profiles](#)

Technical data


[Quick & Easy profile finishes](#)

Dimensions

Strut profile 50x50L

50x50L

$A = 9,3 \text{ cm}^2$
 $I_x = 21,2 \text{ cm}^4$
 $I_y = 21,2 \text{ cm}^4$
 $W_x = 8,5 \text{ cm}^3$
 $W_y = 8,5 \text{ cm}^3$
 $I_t = 5,37 \text{ cm}^4$
 $W_t = 4,3 \text{ cm}^3$
 $m = 2,5 \text{ kg/m}$



Ordering codes

The following caps with holes are needed:

50x50 signal gray (1 item)

50x50 black (1 item)

The following cover caps are needed:

50x50 signal gray (1 item)

50x50 black (1 item)

	L			ESD	No.
	mm				
Strut profile 50x50L	50 ... 6070		1		3842993156
Strut profile 50x50L M12/-	60 ... 6000		1		3842993157
Strut profile 50x50L M12/M12	110 ... 6000		1		3842993158
Strut profile 50x50L M12/D17	90 ... 6000		1		3842993159
Strut profile 50x50L D9,8/D9,8	80 ... 6000		1		3842993164
Strut profile 50x50L D17/-	60 ... 6000		1		3842993160
Strut profile 50x150L D17/D17	80 ... 6000		1		3842993161
Strut profile 50x50L D17/D17V	80 ... 6000		1		3842993162
Strut profile 50x50L, 20xL=6070mm	6070	20			3842529351
Strut profile 50x150L Q&E	50 ... 6070		1		3842993665
Cover cap 50x50, signal gray			20		3842548820

	L			ESD	No.
	mm				
Cover cap 50x50, black			20		3842548821
Cover cap with hole 50x50, signal gray			20		3842548822
Cover cap with hole 50x50, black			20		3842548823
Strut profile 50x50L	6070		1		3842529352

Quick & Easy profile finishes

Standard profile finishing L _{max} = 6000 mm (note minimum length)		M12 / M16 / D9,8 / D17 / DB17
Individual profile finishing (L _{max I} = 5400 mm) ¹⁾		DI / DIS / MT / MTS / MI / MIS / DG

1) DG_{max} = 45°; L_{min1} / L_{min2} = 387 / 474 mm