


Strut profile 60x90



Product description

[Quick & Easy profile finishes](#)

[Introduction to strut profiles](#)

Technical data


[Quick & Easy profile finishes](#)

Dimensions

Strut profile 60x90

60x90

$A = 25,8 \text{ cm}^2$
 $I_x = 214,2 \text{ cm}^4$
 $I_y = 90,5 \text{ cm}^4$
 $W_x = 47,6 \text{ cm}^3$
 $W_y = 30,2 \text{ cm}^3$
 $I_t = 45,8 \text{ cm}^4$
 $W_t = 18,0 \text{ cm}^3$
 $m = 7,0 \text{ kg/m}$



19461

Ordering codes

The following cover caps can be used:

Cover cap 60x90, signal gray (1x)

Cover cap 60x90, black (1x)

The following caps with holes are needed:

60x90 black (1 item)

	L			ESD	No.
	mm				
Strut profile 60x90	50 ... 6070		1		3842990450
Strut profile 60x90 M16/-	120 ... 6000		1		3842990453
Strut profile 60x90 M16/M16	240 ... 6000		1		3842990454
Strut profile 60x90 M16/D17	170 ... 6000		1		3842992962
Strut profile 60x90 M16/D17V	170 ... 6000		1		3842992963
Strut profile 60x90 M16/F2	170 ... 6000		1		3842990472
Strut profile 60x90 D17/D17	80 ... 6000		1		3842990097
Strut profile 60x90 D17/D17V	80 ... 6000		1		3842990099
Strut profile 60x90 D17V/D17V	90 ... 6000		1		3842990098
Strut profile 60x90 F1/F1	110 ... 6000		1		3842990464
Strut profile 60x90 F1/F1V	110 ... 6000		1		3842990481
Strut profile 60x90 F2/F2	110 ... 6000		1		3842990478
Strut profile 60x90, 10xL=6070mm	6070	10			3842557207
Strut profile 60x90, 10xL=5600mm	5600	10			3842509183
Strut profile 60x90 Q&E	50 ... 6070		1		3842993671
Cover cap 60x90, signal gray			20		3842548812
Cover cap 60x90, black			20		3842548813
Cover cap with hole 60x90, signal gray			20		3842551050
Cover cap with hole 60x90, black ESD			20		3842551051
Strut profile 60x90	6070		1		3842557217

Quick & Easy profile finishes

Standard profile finishing L _{max} = 6000 mm (note minimum length) ¹⁾	M16 / D9,8 / D17 / DB17 / F1 (A, D)
Customized profile finishes (L _{max} = 4900 mm) ²⁾	DI / DIS / MT / MTS / MI / MIS / DG

1) For the specified slots

2) DG_{max} = 45°; L_{min} = 456 / 612 mm