


Strut profile 15x120



Product description

[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions


Strut profile 15x120

15x120

A = 9,0 cm²
 I_x = 110,4 cm⁴
 I_y = 2,2 cm⁴
 W_x = 18,4 cm³
 W_y = 2,7 cm³
 m = 2,4 kg/m



19195



Ordering codes

The following cover caps are needed:

15x120 signal gray (1 item)

15x120 black (1 item)

	L			ESD	No.
	mm				
Strut profile 15x120	50 ... 3000		1		3842993078
Strut profile 15x120, 10xL=3000mm	3000	10			3842537821
Strut profile 15x120 Q&E	80 ... 3000		1		3842993684
Cover cap 15x120, signal gray			20		3842548768
Cover cap 15x120, black			20		3842548769
Strut profile 15x120	3000		1		3842526818

Quick & Easy profile finishes

Standard profile finishing Lmax = 6000 mm (note minimum length) ¹⁾	D7,8 (B,C,D,E,G,H,I) ¹⁾ / D11 (B,C,D,E,G,H,I)
Customized profile finishes (L _{max} = 2300 mm)	DI / DIS / MT / MTS / MI / MIS / DG

1) For the specified slots