



Bracket 30/120



- Profile finishing: not required




- Brackets with centering lugs for rapid, precise assembly with protection against turning
- Centering lugs can be easily broken off for assembly on plates or at right angles to the slot
- Version *designLINE* with special silver paint (RAL 9006) for an especially high-quality design
- Intermediate element for positioning brackets in the next largest slot
- Cover cap to protect from dirt, available in signal gray (RAL 7004) and black ESD (RAL 9005)

Product description



Connection elements, selection criteria


Technical data

	Groove	E S D	Material entry			
				$F_{\max}$	$M_{\max}$	$M_{\max}$
				N	Nm	Nm
Bracket	8		Bracket <i>designLINE</i> : Diecast aluminum; vibratory ground, painted (RAL 9006) Fastening material: steel; galvanized	3750	100	47
	8		Bracket: Diecast aluminum, vibratory ground	3750	100	47
Cover cap for bracket			PP			
			PP			
Intermediate element for 10 mm slot	8; 10		PA; black			

Typ			
30 / 120	3750 N	100 Nm	47 Nm

Dimensions

Bracket 30/120 with cover cap



Accessories

Recommended accessories


Intermediate element for 10 mm slot

Cover cap for bracket 30/120, signal gray

Cover cap for bracket 30/120, black

Delivery notes

FS6



Ordering codes

	Groove	ESD	FS	No.
Bracket 30x120 set design <i>LINE</i> , N8/8	8		2xFS6	3842551602
Bracket (standard) 30x120	8			3842523587
Cover cap for bracket 30/120, signal gray				3842548850
Cover cap for bracket 30/120, black				3842548851
Intermediate element for 10 mm slot	8; 10			3842523537