

FiFo Station Components



- Guide rail fastened to floor using adhesive strips, end caps may also be screwed in place (if required)
- Adapter for connecting two guide rails, or a guide rail with a 30x30 profile

[PDF](#) Assembly instructions

- Large end caps for integrating a 30x30 profile for use in installing flow rack systems, information boards and height limits. Since the guide rails are flat-sided, setup can be done using a profile of width 45.
- Guide rail color: Yellow
- End cap color: Black


Product description




FiFo station

Dimensions


Guide rail L1200, L2400




Adapter for guide rail




Right end cap, small



Left end cap, small




End cap, large



Strut profile 30x30

30x30
A = 3,1 cm²
I_x = 2,8 cm⁴
I_y = 2,8 cm⁴
W_x = 1,8 cm³
W_y = 1,8 cm³
I_t = 0,29 cm⁴
W_t = 0,33 cm³
m = 0,9 kg/m



19178

Ordering codes

	L			No.
	mm			
Guide rail L = 1200	1200		10	3842540012
Guide rail L = 2400	2400		10	3842539894
Adapter			20	3842539898
Right end cap, small			10	3842539895
Left end cap, small			10	3842539896
End cap, large			10	3842539897
Strut profile 30x30 Q&E	50 ... 6070		1	3842993703
Strut profile 30x30, 20xL=6070 mm	6070	20		3842557206
Strut profile 30x30	6070		1	3842557216
Strut profile 30x30, 20xL=5600mm	5600	20		3842509178