


Strut profile 60x60 8N



31 302

Product description

[Quick & Easy profile finishes](#)

[Introduction to strut profiles](#)

Technical data


[Quick & Easy profile finishes](#)

Dimensions

Strut profile 60x60 8N


60x60 8N

$A = 9,8 \text{ cm}^2$
 $I_x = 39,7 \text{ cm}^4$
 $I_y = 39,7 \text{ cm}^4$
 $W_x = 13,2 \text{ cm}^3$
 $W_y = 13,2 \text{ cm}^3$
 $I_t = 19,3 \text{ cm}^4$
 $W_t = 6,8 \text{ cm}^3$
 $m = 2,6 \text{ kg/m}$



19193

60x60L



19459

Cover cap 60x60 8N, black (1x)

	L			ESD	No.
	mm				
Strut profile 60x60 8N	50 ... 6070		1		3842993033
Strut profile 60x60 8N, 20xL=6070mm	6070	20			3842535176
Strut profile 60x60 8N Q&E	50 ... 6070		1		3842993669
Cover cap 60x60 8N, signal gray			20		3842551046
Cover cap 60x60 8N, black ESD			20		3842551047
	6070		1		3842564215

DI / DIS / MT / MTS / MI / MIS / DG

Assembly-Technology, PDF version, 2023-08-223, © Bosch Rexroth AG, subject to change.
Valid edition only on the Internet. Copies of any type are not subject to change.