


Strut profile 15x22.5



31447

Product description

[Quick & Easy profile finishes](#)


[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions


Profile 15x22.5



Strut profile 15x22.5


15x22,5

$A = 1,3 \text{ cm}^2$
 $I_x = 0,8 \text{ cm}^4$
 $I_y = 0,3 \text{ cm}^4$
 $W_x = 0,9 \text{ cm}^3$
 $W_y = 0,6 \text{ cm}^3$
 $m = 0,3 \text{ kg/m}$



19450

Cap



Ordering codes

The following cover caps are needed:

15x22.5 signal gray (1 item)

15x22 black (1 item)

	L			ESD	No.
	mm				
Strut profile 15x22.5, D17/-	50 ... 3000		1		3842992473
Strut profile 15x22.5	60 ... 3000		1		3842992474
Strut profile 15x22.5 D17/D17	80 ... 3000		1		3842992475
Strut profile 15x22.5 Q&E	50 ... 3000		1		3842993689
Cover cap 15x22.5, signal gray			20		3842548816
Cover cap 15x22.5, black			20		3842548817
Strut profile 15x22.5, 10xL=3000mm	3000	10			3842563231
	3000		1		3842563232

Quick & Easy profile finishes

Standard profile finishing Lmax = 6000 mm (note minimum length)	D9.8 / D17
---	------------