



Grooved plate 30x100



- Modular plate profiles with multiple slots for experimental constructions of any dimensions
- Slot spacing 25 mm
- Slot size 8.9 mm
- 8 mm slot connectors can be used

- Grooved plate 30x100 L/R with lateral 8 mm slot as outer stop
- Grooved plate 30x100 M for constructing grooved plates of any width
- Sliding block
- For connecting the 30x100 grooved plates
- Recommendation: use 3 sliding blocks per meter of profile length

Product description




Introduction to strut profiles

Dimensions

Grooved plate 30x100 L/R

30x100 L/R

$A = 9,7 \text{ cm}^2$
 $I_x = 88,8 \text{ cm}^4$
 $I_y = 9,2 \text{ cm}^4$
 $W_x = 17,8 \text{ cm}^3$
 $W_y = 6,0 \text{ cm}^3$
 $m = 2,6 \text{ kg/m}$




00109311

Grooved plate 30x100 M


30x100 M

$A = 9,7 \text{ cm}^2$
 $I_x = 88,8 \text{ cm}^4$
 $I_y = 9,2 \text{ cm}^4$
 $W_x = 17,8 \text{ cm}^3$
 $W_y = 6,0 \text{ cm}^3$
 $m = 2,6 \text{ kg/m}$




00109312

Sliding block for grooved plate



Accessories



Strut profile 30x30

Ordering codes

	Groove	L (mm)			No.
Grooved plate 30x100 L/R L100-5600	8	100 ... 5600	1		3842993337
Grooved plate 30x100 L/R L5600	8	5600	18		3842542696
Grooved plate 30x100 M L100-5600	8	100 ... 5600	1		3842993336
Grooved plate 30x100 M L5600	8	5600	18		3842542698
Sliding block				100	3842520922
Grooved plate 30x100 L/R L5600		5600		1	3842542695
		5600		1	3842542697