




Cubic connector 20/2




- For torsion-resistant corner connection of profiles with equal cross-sections
- Version *designLINE* with special silver paint (RAL 9006) for an especially high-quality design
- Cover caps to cover the openings
- Screw fitting on profile with self-tapping screws

- Profile finishing: not required

Product description




Technical data

	Groove	ESD	Material entry	
				M _{max}
				Nm
Cubic connectors	6		Cubic connector: diecast aluminum Fastening material: steel; galvanized	18
	6		Cubic connector <i>designLINE</i> : Diecast aluminum; painted (RAL 9006) Fastening material: steel; galvanized	18
	6		Cubic connector: diecast aluminum	18
Cover cap, cubic connector			PP	
			PP	
Countersunk screw	6		Steel; galvanized	

Dimensions

Cubic connector 20/2



Accessories


- Recommended accessories
- Cover cap D12, black (PP)

Countersunk screw S6x16

Cover cap D12, signal gray (PP)

Cover cap D12, black (PP)

Delivery notes

FS1
 S6x16

Ordering codes

	Groove	ESD	FS	No.
Cubic connector 20/2 set (standard) ¹⁾	6		2xFS1	3842549858
Cubic connector 20/2 set designLINE ¹⁾	6		2xFS1	3842549859
Cubic connector 20/2	6			3842523875
Cover cap, cubic connector D12, signal gray				3842548700
Cover cap, cubic connector D12, black				3842548704

	Groove	ESD	FS	No.
Countersunk screw S6x16	6			3842517132

1) Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.