




Hinge, plastic




- Plastic hinge for profiles with 8 mm or 10 mm slot
- Assembly possible on solid surface elements
- Centering bolts for easy mounting and as an anti-torsion element

Product description



Technical data


Groove		
	N	
	8; 10	150

No.	Material
3842554458	PA; signal gray Hinge axle: steel; galvanized Fastening material: Steel; zinc-plated
3842554460	
3842554462	
3842554464	

No.	Material
3842554466	PA; signal gray Hinge axle: steel; galvanized Fastening material: Steel; zinc-plated
3842554468	
3842554470	
3842554472	

Dimensions

Hinge, plastic








P2	P1	P1/P2	A/B	a/b
		mm	mm	mm
30	30	30	30	17.5
40/50				
45				
60				
40/50	40/50	40	39	22.5
45	45	45	45	25
60				

P2	P1	P1/P2	A/B	a/b
		mm	mm	mm
60	60	60	60	32.5

Delivery notes

Fastening material

3842554458	2x			
3842554460	1x		1x	
3842554462	1x		1x	
3842554464	1x		1x	
3842554466	2x			
3842554468	2x			
3842554470	2x			
3842554472	2x			

Scope of delivery

Hinge, plastic P1=30 P2=30	incl. fastening material (FS)
Hinge, plastic P1=30 P2=40/50	
Hinge, plastic P1=30 P2=45	
Hinge, plastic P1=30 P2=60	
Hinge, plastic P1=40/50 P2=40/50	

Hinge, plastic P1=45 P2=45	incl. fastening material (FS)
Hinge, plastic P1=45 P2=60	
Hinge, plastic P1=60 P2=60	

Ordering codes

	Groove	P1	P2		FS	No.
Hinge, plastic P1=30 P2=30	8; 10	30	30	2	2xFS1	3842554458
Hinge, plastic P1=30 P2=40/50	8; 10	30	40/50	2	1xFS1, 1xFS2	3842554460
Hinge, plastic P1=30 P2=45	8; 10	30	45	2	1xFS1, 1xFS2	3842554462
Hinge, plastic P1=30 P2=60	8; 10	30	60	2	1xFS1, 1xFS2	3842554464
Hinge, plastic P1=40/50 P2=40/50	8; 10	40/50	40/50	2	2xFS2	3842554466
Hinge, plastic P1=45 P2=45	8; 10	45	45	2	2xFS2	3842554468
Hinge, plastic P1=45 P2=60	8; 10	45	60	2	2xFS2	3842554470
Hinge, plastic P1=60 P2=60	8; 10	60	60	2	2xFS2	3842554472